

References: Pediatric Pain Management in Acute Care Settings

1. American Academy of Pediatrics, Committee on Pediatric Emergency Medicine, American College of Emergency Physicians, Pediatric Committee, Emergency Nurses Association Pediatric Committee. Joint policy statement-guidelines for care of children in the emergency department. *Pediatrics*. 2009;124(4):1233-1243.
2. Anesthesiology News New App Calculates Pediatric Pain Medication Dosage. http://www.anesthesiologynews.com/ViewArticle.aspx?d=Technology&d_id=8&i=November+2014&i_id=1119&a_id=28678. Published November 2014. Accessed December 2014.
3. Bachur R. G., Monuteaux M. C., Neuman M. I. A comparison of acute treatment regimens for migraine in the emergency department. *Pediatrics*. 2015;135(2):1-9. doi:10.1542/peds.2014-2432
4. Bailey B., Bergeron S., Gravel J., Daoust R.. Comparison of four pain scales in children with acute abdominal pain in a pediatric emergency department. *Acad Emerg Med*. 2007;14(5):S90.
5. Bauman B. H., McManus J. G. Jr. Pediatric pain management in the emergency department. *Emerg Med Clin North Am*. 2005;23(2):393-414, ix.
6. Beyer J., Denyes M., Villarruel A. The creation, validation, and continuing development of the Oucher: A measure of pain intensity in children. *J Pediatr Nurs*. 1992;7(5):335.
7. Brand K., Canchi N. Pain assessment in children. *Paediatric Anaesthesia*. 2013;14(6):228-231. doi:http://dx.doi.org/10.1016/j.mpaic.2013.03.002
8. Breau L., Finley G., McGrath P., Camfield C. Validation of the non-communicating children's pain checklist-postoperative version. *Anesthesiology*. 2002;96(3):528.
9. Chambers C. T., Taddio A., Uman L. S., McMurty C. M., HELPinKIDS Team. Psychological interventions for reducing pain and distress during routine childhood immunizations: A systematic review. *Clinical Therapeutics*. 2009;31(Supplement B):S77.
10. Chinta S. S., Schrock C. R., McAllister J. D., Jaffe D. M., Liu J., Kennedy R. M. Rapid administration technique of ketamine for pediatric forearm fracture reduction: A dose-finding study. *Ann Emerg Med*. 2015;65(6):640-648.e2. doi: 10.1016/j.annemergmed.2014.12.011.
11. Committee on the Future of Emergency Care in the United States Health System. Emergency Care for Children: Growing Pains. Washington, DC: The National Academies Press, 2007
12. Copstead L. C., Banasik J. *Pathophysiology*. Vol 12. 4th ed. Canada: Elsevier; 2010:900.
13. Drendel A., Kelly B. T., Ali S. Pain assessment for children overcoming challenges and optimizing care. *Pediatr Emerg Care*. 2011;27(8):773.
14. Emergency Nurses Association, American Society for Pain Management Nursing. Optimizing the treatment of pain in patients with acute presentations. Emergency Nurses Association Web site. http://www.ena.org/SiteCollectionDocuments/Position%20Statements/Pain_Mgmt_pol.pdf. Updated July 2009. Accessed January 2015.
15. Emergency Nurses Association. Pediatric procedural pain management. ENA Position Statement Web site. <http://www.ena.org/about/position/position/Pages/Default.aspx>. Published December 2010. Updated 2010. Accessed March 2015.
16. Fein J., Zempsky W., Cravero J., Committee on the Pediatric Emergency Medicine and Section on Anesthesiology and Pain Medicine. Relief of pain and anxiety in pediatric patients in emergency medical systems. *Pediatr*. 2012;130(5):11/13/2012.
17. Franck L., Greenberg C., Stevens B. Acute pain in children: Pain assessment in infants and children. *Pediatr Clin North Am*. 2000;47(3):487.

References: Pediatric Pain Management in Acute Care Settings

18. Galinski M., Picco N., Hennequin B., Raphael V., Ayachi A., Beruben A., et al. Out-of-hospital emergency medicine in pediatric patients: Prevalence and management of pain. *Am J Emerg Med.* 2011;29(9):1062-1066. doi: 10.1016/j.ajem.2010.06.031
19. Garra G., Singer A. J., Taira B. R., et al. Validation of the Wong-Baker FACES pain rating scale in pediatric emergency department patients. *Acad Emerg Med.* 2010;17(1):50-54.
20. Goyal M. K., Kuppermann N., Cleary S. D., Teach S. J., Chamberlain J. M. Racial disparities in pain management of children with appendicitis in emergency departments. *JAMA Pediatr.* 2015;169(11):996-1002. doi: 10.1001/jamapediatrics.2015.1915.
21. Gunn V. L., Nechyba C. eds. *Harriet Lane Handbook*. 16th ed. St. Louis; 2002.
22. Habich M., Letizia M. Pediatric pain assessment in the emergency department: A nursing evidence-based practice protocol. *Pediatr Nurs.* 2015;41(4):198-202.
23. Helms J. E., Barone C. P. Physiology and treatment of pain. *Critical Care Nurse.* 2008;(28):38.
24. Hockenberry M., Wilson D. eds. *Wong's Nursing Care of Infants and Children* 8th ed. St. Louis: Mosby; 2007.
25. Hummel P., Lawlor-Klean P., Weiss M. Validity and reliability of the N-PASS assessment tool with acute pain. *J Perinatology.* 2010;30(7):474.
26. Hummel P., Puchalski M., Greech S., Weiss M. Clinical reliability and validity of the N-PASS: Neonatal pain, agitation and sedation scale with prolonged pain. *J Perinatology.* 2008;28(1):55.
27. Hummel P., Van Dijk M. Pain assessment: Current status and challenges. *Seminars in Fetal Neonatal Medicine.* 2006;11(4):237.
28. Illinois Emergency Medical Services for Children (EMSC). Pediatric Pain Management in the Emergency Setting, Illinois Emergency Medical Services for Children, 2013.
29. Illinois Emergency Medical Services for Children (EMSC). Pediatric pain management in the emergency department educational module, August 2002; 2002.
30. Illinois Emergency Medical Services for Children (EMSC). Patient safety in pediatric emergency care presentation. Published April 23, 2004. Accessed June 2015.
31. Kleiber C., Jennissen C., McCarthy A. M., Ansley T. Evidence-based pediatric pain management in emergency departments in a rural state. *J Pain.* 2011;12(8):900.
32. Krauss B. S., Calligaris L., Gree S. M., Barbi E. Current concepts in management of pain in children in the emergency department. *The Lancet.* 2015:1-10. [http://dx.doi.org/10.1016/S0140-6736\(14\)61686-X](http://dx.doi.org/10.1016/S0140-6736(14)61686-X)
33. Krechel S., Bildner J. CRIES: A new neonatal postoperative pain measurement score— initial testing of validity and reliability. *Paediatric Anaesthesia.* 1995;5:53.
34. Kohut A. S., Riddell P. R. Does the neonatal facial coding system differentiate between infants experiencing pain-related and non-pain-related distress? *J Pain.* 2009;10(2):214.
35. Lacy C, ed. *Drug Information Handbook*. 21st ed. Lexi-Comp; 2012.
36. Luffy R., Groves S. Examining the validity, reliability, and preference of three pediatric pain measurement tools in African American children. *Pediatric Nursing.* 2003;23(1):54.
37. Malviya S., Voepel-Lewis T., Burke C., Merkel S., Tait A. The revised FLACC observational pain tool: Improved reliability and validity for pain assessment in children with cognitive impairment. *Pediatric Anaesthesia.* 2006;16(3):258.
38. McGrath P. A. Development of the World Health Organization guidelines on cancer pain relief and palliative care in children. *J Pain Symptom Manage.* 1996;12(2):87-92.

References: Pediatric Pain Management in Acute Care Settings

39. Nelson C. E., Selbst S. M. Electronic prescription writing errors in the pediatric emergency department. *Pediatr Emer Care*. 2015;31:368–372
40. Oakes L. L. *Compact Clinical Guide to Infant and Child Pain Management: an Evidence based Approach for Nurses*. New York: Springer; 2011.
41. Patrick S.W., Dudley J., Martin P.R., Harrell F.E., Warren M.D., et al. Prescription opioid epidemic and infant outcomes. *Pediatrics*. 2015;135:842–850. doi: 10.1542/peds.2014-3299.
42. Poonai N., Paskar D., Konrad S. L., Rieder M., Joubert G., Lim R., et al. Opioid analgesia for acute abdominal pain in children: A systematic review and meta-analysis. *Acad Emerg Med*. 2014;21(11):1183-92. doi: 10.1111/acem.12509.
43. Rominger A. H., Smith M.J., Stevenson M. D. Emergency medical services system utilization over the last 10 years. What predicts transport of children? *Pediatr Emer Care*. 2015;31:321–326
44. Ruddy RM, Chamberlain JM, Mahajan PV, Funai T, O-Connell KJ, Blumber S, et al. Near misses and unsafe conditions reported in pediatric emergency research network. *BMJ Open*. 2015;5:e007541. doi:10.1136/bmjopen-2014-007541
45. Rutkowska A., Skotnicka-Klonowicz G. Prehospital pain management in children with traumatic injuries. *Pediatr Emer Care* 2015;31: 317–320.
46. Sacchetti A. D. Advanced Pediatric Emergency Medicine Assembly presentation. March 17, 2014 at American Academy of Pediatrics. Retrieved September 2014.
47. Scherrer P. D., Mallory M. D., Cravero J. P., Lowrie L., Hertzog J. H., Berkenbosch J. W. The impact of obesity on pediatric procedural sedation-related outcomes: Results from the Pediatric Sedation Research Consortium. *Pediatr Anesth*. 2015;25(7):689–697. doi: 10.1111/pan.12627
48. Shavit I., Hershman E. Management of children undergoing painful procedures in the emergency department by non-anesthesiologists. *Isr Med Assoc J*. 2004 Jun;6(6):350-5.
49. Shields B., Cohen D., Harbeck-Weber C., Powers J., Smith G. Pediatric pain measurement using a visual analogue scale: A comparison of two teaching methods. *Clinical Pediatrics*. 2010;42:227.
50. Sikka K., Ahmed A. A., Diaz D., Goodwin M. S., Craig K. D., et al. Automated assessment of children's postoperative pain using computer vision. *Pediatrics*. 2015;136(1):1-10. doi:10.1542/peds.2015-0029
51. Simons A. M. Sieberg C. B., Odell S., Randall E., Simons L. E. Living in fear of your child's pain: The parent fear of pain questionnaire (PPAQ). *Clinical J Pain*. 2015;31(7). doi:10.1097/AJP.000000000000140
52. Simons L. E., Smith A., Kaczynski K., Basch M. Living in fear of your child's pain the parent fear of pain questionnaire. *PAIN* 156. 2015;694–702.
53. Spasojevic S., Bregun-Doronjski A. A simultaneous comparison of four neonatal pain scales in clinical settings. *Journal of Maternal-Fetal & Neonatal Medicine*. 2011;24(4):590.
54. Srouji R., Ratnapalan S., Schneeweiss S. Pain in children: Assessment and non-pharmacological management. *International Journal of Pediatrics*. 2010;474838.
55. Stanford E. A., Chambers C. T., Craig K. D. A normative analysis of the development of pain-related vocabulary in children. *Pain*. 2005;114:278.
56. Stinson J., Kavanagh T., Yamada J., Gill N., Stevens B. Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents. *Pain*. 2006;125(12):143.

References: Pediatric Pain Management in Acute Care Settings

57. Taddio A., Rogers J. M. Why are children still crying? Going beyond “evidence” in guideline development to improve pain care for children: the HELPinKIDS experience. *Pain* 156. 2015;S127–S135.
58. Taylor D. M., Dhir R., Craig S. S., Lammers T., Gardiner K, et al. Complementary and alternative medicine use among paediatric emergency department patients. *J Paediatr Child Health*. 2015;51(9):895-900. doi:10.1111/jpc.12898.
59. Tsze D. S., Hirschfeld G., von Baeyer C. L., Bulloch B., Dayan P. S. Clinically significant differences in acute pain measured on self-report pain scales in children. *Academic Emergency Medicine*. 2015;22:415-422. doi: 10.1111/acem.12620
60. Uman L. S., Chambers C. T., McGrath P. J., Kisely S. R. Psychological interventions for needle-related procedural pain and distress in children and adolescents. *Cochrane Database of Systematic Reviews*. 2006;2006(4):CD005179.
61. Voepel-Lewis T., Merkel S., Tait A., Trzcinka A., Malviya S. The reliability and validity of the face, legs, activity, cry, consolability observational tool as a measure of pain in children with cognitive impairment. *Anesthesia & Analgesia*. 2002;95:1224.
62. von Baeyer C. L., Marche T. A., Rocha E. M., Salmon K. Children's memory for pain: Overview and implications for practice. *J Pain*. 2004;5(5):241-249.
63. When to use intranasal medications in children. ACEP Now web site. <http://www.acepnow.com/article/when-to-use-intranasal-medications-in-children/>. Published October 13, 2015. Accessed November 2015.
64. Wong D., Baker C. Pain in children: Comparison of assessment scales. *Pediatric Nursing*. 1988;14(1):9.
65. World Health Organization, ed. *Cancer Pain Relief and Palliative Care in Children*. Geneva: World Health Organization; 1998.
66. Young T. E. ed. *Neofax*. 24th ed. Raleigh NC: Thomson Reuters; 2011.